

目 次

- 滇牡丹 MYB 家族成员鉴定及 *PdMYB2* 的功能验证 邹红竹, 韩璐璐, 周琳, 等(1)
- 基于实例分割的高郁闭度林分单木树冠无人机遥感提取 谢运鸿, 荆雪慧, 孙钊, 等(14)
- 三峡库区秭归段消落带重金属时空分布特征 陈天, 程瑞梅, 肖文发, 等(22)
- AM 真菌和无机磷对油茶苗磷吸收和培养土壤磷组分的影响 黄雨轩, 林宇岚, 张林平, 等(33)
- 青钱柳种质资源评价及其优良家系和单株筛选 蓝丽霞, 徐展宏, 孙操稳, 等(42)
- 37 份文冠果优新种质资源表型性状遗传变异分析 王娅丽, 顾志杰, 贾巧霞(52)
- 不同寄主植物对云南松毛虫生长发育、繁殖及生理酶活性的影响 沈海燕, 梁远, 陈正浩, 等(63)
- 农杆菌介导的山苍子遗传转化体系的构建 王民炎, 俞文仙, 赵耘霄, 等(71)
- 典型中亚热带天然阔叶林林木高径比与胸径及树高关系 严铭海, 王金池, 黄清麟, 等(81)
- 内蒙古黄土丘陵区 4 种柠条林土壤水分入渗特征 江磊, 秦富仓, 曾令建, 等(89)
- 不同林分密度指标在杉木林分蓄积量模型的应用研究 姜丽, 张雄清, 段爱国, 等(97)
- 杜仲种质资源叶片表型性状多样性分析 孟益德, 杜红岩, 王璐, 等(103)
- 翅果油树人工林表型性状变异规律研究 杨玉洁, 胡晓艳, 黄尧, 等(113)
- 藏东南色季拉山急尖长苞冷杉非结构性碳水化合物时空动态特征 樊志颖, 陈康, 李江荣, 等(123)
- 马尾松与乡土阔叶树种混合凋落叶分解的质量损失 张艳, 李勋, 宋思梦, 等(134)
- 滇南 3 种不同类型热带森林优势种幼树树干生态化学计量特征 屠晶, 栗忠飞, 孙靖, 等(146)
- 土壤活性有机碳及碳库管理指数对石漠化治理措施的响应 李金垚, 潘雯, 王佳, 等(156)
- 砂质海岸不同密度黑松叶片养分重吸收特征 任奕炜, 衣华鹏, 钟小瑛(164)
- 基于立地混合效应的湖南丘陵平原区杉木多形立地指数模型研究 宋争, 黄朗, 胡松, 等(172)
- 长柄扁桃适宜分布区对气候变化的响应 张君明, 边磊, 周飞梅, 等(180)
- 中国沙棘树冠上中下部枝条的水碳代谢与生长结实性状研究 李海波, 薛浩, 薛静茹, 等(188)
- 响应面法优化森吉木霉 M75 菌株发酵培养条件 张铭, 宁少华, 高茜, 等(196)

Contents

| | |
|---|---|
| Identification of MYB Family Members and Functional Verification of <i>PdMYB2</i> in <i>Paeonia delavayi</i> | ZOU Hong-zhu, HAN Lu-lu, ZHOU Lin, et al(13) |
| Tree Crown Extraction of UAV Remote Sensing High Canopy Density Stand Based on Instance Segmentation | XIE Yun-hong, JING Xue-hui, SUN Zhao, et al(21) |
| Temporal and Spatial Distribution Characteristics of Heavy Metals in Water Level Fluctuating Zone of Zigui Section in Three Gorges Reservoir Area | CHEN Tian, CHENG Rui-mei, XIAO Wen-fa, et al(32) |
| Effects of AM Fungi and Inorganic Phosphorus on Phosphorus Uptake and Grown Soil Phosphorus Fraction of <i>Camellia oleifera</i> Seedlings | HUANG Yu-xuan, LIN Yu-lan, ZHANG Lin-ping, et al(41) |
| Evaluation on Germplasm Resources of <i>Cyclocarya paliurus</i> and Its Oriented Selection of Superior Families and Trees | LAN Li-xia, XU Zhan-hong, SUN Cao-wen, et al(51) |
| Genetic Variation Analysis of Phenotypic Traits of 37 <i>Xanthoceras sorbifolium</i> Elite Germplasm | WANG Ya-li, GU Zhi-jie, JIA Qiao-xia(62) |
| Effects of Different Host Plants on the Growth, Reproduction and Physiological Enzyme Activity of <i>Dendrolimus houi</i> Lajonquiere (Lepidoptera: Lasiocampidae) | SHEN Hai-yan, LIANG Yun, CHEN Zheng-hao, et al(70) |
| Establishment of <i>Agrobacterium</i> Mediated Genetic Transformation System of <i>Litsea cubeba</i> | WANG Min-yan, YU Wen-xian, ZHAO Yun-xiao, et al(80) |
| The Relationship Between Height-to-diameter Ratio and DBH and Tree Height in Typical Natural Broad-leaved Forests in Mid-subtropical Zone | YAN Ming-hai, WANG Jin-chi, HUANG Qing-lin, et al(88) |
| Soil Water Infiltration Characteristics of Four <i>Caragana korshinskii</i> Forests in Loess Hilly Area of Inner Mongolia | JIANG Lei, QIN Fu-cang, ZENG Ling-jian, et al(96) |
| Develop Annual Stand Volume Growth Model of Chinese fir Including Different Stand Density Indices | JIANG Li, ZHANG Xiong-qing, DUAN Ai-guo, et al(102) |
| Diversity Analysis of Leaf Phenotypic Traits of <i>Eucommia ulmoides</i> Germplasm Resources | MENG Yi-de, DU Hong-yan, WANG Lu, et al(112) |
| Phenotypic Traits Variation Pattern of <i>Elaeagnus mollis</i> Diels. Plantation | YANG Yu-jie, HU Xiao-yan, HUANG Yao, et al(122) |
| Spatiotemporal Dynamic Characteristics of Non-structural Carbohydrates of <i>Abies georgei</i> var. <i>smithii</i> in Sygera Mountain | FAN Zhi-ying, CHEN Kang, LI Jiang-rong, et al(133) |
| Mass Loss of Mixed Leaf Litter with <i>Pinus massoniana</i> and Native Broad-leaved Species | ZHANG Yan, LI Xun, SONG Si-meng, et al(145) |
| Sapling Stem Stoichiometry of Dominant Species in Three Types of Tropical Forests in Southern Yunnan | TU Jing, LI Zhong-fei, SUN Jing, et al(155) |
| Response of Active Organic Carbon and Carbon Pool Management Index of Karst Soil to Rocky Desertification Control Measures | LI Jin-yao, PAN Wen, WANG Jia, et al(163) |
| Characteristics of Nutrient Resorption in Leaves of <i>Pinus thunbergii</i> with Different Densities in Sandy Coastal | REN Yi-wei, YI Hua-peng, ZHONG Xiao-ying(171) |
| Polymorphic Site-Index Model with Site Mixed Effects for Chinese fir Plantations in Hunan Hilly Plains | SONG Zheng, HUANG Lang, HU Song, et al(179) |
| Response of the suitable distribution areas of <i>Prunus pedunculata</i> to Climate Change | ZHANG Jun-ming, BIAN Lei, ZHOU Fei-mei, et al(187) |
| Correlation between Water-carbon Metabolism and Growth and Fruiting Traits of Upper, Middle and Lower Branches in the Crown of <i>Hippophae rhamnoides</i> subsp. <i>sinensis</i> Rousi | LI Hai-bo, XUE Hao, XUE Jing-ru, et al(195) |
| Optimization of Fermentation Conditions of <i>Trichoderma songyi</i> M75 Strain by Response Surface Methodology | ZHANG Ming, NING Shao-hua, GAO Qian, et al(205) |